





SAC 05

## CERTIFICATE

#### of Conformity of Factory Production Control

No. 1034 - CPR - 2568/1/2023

In compliance with the Regulation No. 305/2011/EU of the European Parliament and of the Council of March 9th, 2011 (Construction Products Regulation - CPR), the present certificate applies to the construction product

#### "ITAMARATI" Plywood

according to the performance characteristics for wood-based panels for use in construction, as presented on page 2 and 3 of this certificate

placed on the market by and produced in the factory

ITAMARATI Industria de Compensados Ltda. Rua 03, s/n° - Area Industrial Cx. Postal 204 - 85555-000 Palmas, PR Brazil

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13986:2004+A1:2015

according to system 2+ are applied and that

the factory production control is assessed to be in conformity with the applicable requirements.

The present certificate will be valid as long the test methods defined by the harmonised standard and/or the factory production control requirements defined by the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

The validity of the certificate will be confirmed by the certification report issued every six months by the certification laboratory.

Leipzig, June 7th, 2023



Dipl.- Ing. L. Röwer Head of Certification Laboratory



### Page 2 of

# CERTIFICATE

## of Conformity of Factory Production Control

No. 1034 - CPR - 2568/1/2023

### **Plywood Products:**

		F	Panel type/ Product Name		EN 13986; Performance characteristics required for wood-based panels for use in construction					
		4	'ITAMARATI" Plywood		Wood-based panels for internal use as structural components in		Wood-based panels for internal use as structural floor and roof decking on joists and as structural wall sheathing on studs			
No.	Nominal Thickness	Plies	Wood Species		dry conditions	humid conditions	Floor decking on joists	Roof decking on joists	Wall sheathing on studs	
	(mm)		Parallel Veneers	Crossbands	section 4.1	section 4.2		section 4.7		
	Pine Plywo	od								
1	9	3			1	1	_	_		
2	12 (s.e.)	5			✓	~	-	_	_	
	12 (T&G)						_	1	✓	
3	15 (s.e.)	- 5		1	1	_	_	_		
3	15 (T&G)	5			· ·	•	1	✓	_	
4	18 (s.e.)	7			<b>✓</b>	✓		_		
4	18 (T&G)						✓	1	_	
5	20	7	Dinus elliotti	i / Pinus taeda	1	1	-		_	
6	18	5	riius eiilotti	17 Fillus lacua	✓	1	_			
7	20	5			✓	1	_	-		
8	21 (s.e.)	7			1	1	_			
	21 (T&G)	′					<b>✓</b>	✓	_	
9	22	7			✓	1	_	_	_	
10	24	7			1	1	_	-	_	
11	27	7			✓	✓	-	-	_	
12	30	9			✓	1			_	
	Combi Plyv	boov								
13	12	5	D		✓	1		_		
14	15	5	Pinus elliottii / Pinus taeda	Eucalyptus dunni / Eucalyptus grandis	✓	1		_	_	
15	18	7	i ilius accud	_uouiyptaa giailala	1	1	- /	oerwach,	-	



Page 3 of

# CERTIFICATE

## of Conformity of Factory Production Control

No. 1034 - CPR - 2568/1/2023

	Panel Types			Veneer Thickness / Panel Layup		
No.	Nominal Thickness (mm)	Plies	Resin Type			
_1	9	3		2.7 - 4.2 - 2.7		
2	12	5		2.5 - 2.7 - 2.5 - 2.7 - 2.5		
3	15	5		2.5 - 4.2 - 2.5 - 4.2 - 2.5		
4	18	7		2.4 - 3.1 - 2.4 - 3.1 - 2.4 - 3.1 - 2.4		
5	20	7		2.5 - 3.6 - 2.5 - 3.6 - 2.5 - 3.6 - 2.5		
6	18	5		3.5 - 4.2 - 3.5 - 4.2 - 3.5		
7	20	5		4.2 - 4.2 - 4.2 - 4.2 - 4.2		
8	21	7	Phenolic	2.4 - 4.2 - 2.4 - 4.2 - 2.4 - 4.2 - 2.4		
9	22	7		2.5 - 4.2 - 2.5 - 4.2 - 2.5 - 4.2 - 2.5		
10	24	7		3.4 - 3.5 - 3.4 - 3.5 - 3.4 - 3.5 - 3.4		
11	27	7		3.8 - 4.2 - 3.8 - 4.2 - 3.8 - 4.2 - 3.8		
12	30	9		3.2 - 3.5 - 3.4 - 3.5 - 3.4 - 3.5 - 3.4 - 3.5 - 3.2		
13	12	5		2.7 - 2.5 - 2.7 - 2.5 - 2.7		
14	15	5	berwad	2.7 - 4.0 - 2.7 - 4.0 - 2.7		
15	18	7	perm	2.7 - 2.7 - 2.7 - 2.7 - 2.7 - 2.7 - 2.7		

Page 3 of 3